

From: [Pavitt, John](#)
To: ["Mike Ross"](#)
Cc: [Skeens, Alyson](#)
Subject: RE: Jens letter
Date: Thursday, February 03, 2022 11:31:00 AM

Mike, thank you for this opportunity to comment on your letter. I believe it's important to document how you did your work and to describe the condition of the site.

This letter is your statement about the sampling event. EPA was not there to observe, so our comments are regarding clarifying what you've stated.

1. Please state which types of materials you sampled were friable.
2. You mentioned the fire, but if you saw materials that appeared burned that would be good to know.
3. Were the samples just lying on the ground or did you have to dig into the ground, or search for suspect materials from the edges?
4. Can you provide the addresses of the two locations visited?
5. Can you include the sample numbers from the downtown site?

Sincerely,

John Pavitt, Air Compliance Inspector
Air and Toxics Enforcement Section
U.S. EPA Region 10
Alaska Operations Office
Anchorage, AK
Phone: (907) 271-3688

From: Mike Ross (b) (6), (b) (7)(C)
Sent: Thursday, February 03, 2022 8:00 AM
To: Pavitt, John <Pavitt.John@epa.gov>
Subject: Jens letter

John, do you want to review this letter and let me know if you have any changes from our discussion on the phone Tuesday? Please let me know.

Thank you,

Michael Ross
Operation Manager
Intermountain
Construction &
Abatement

25 E. Fairview Ave., Ste. 200

Meridian Idaho 83642

Cell (b) (6), (b)

Phone 208-288-2505

Fax 208-288-2580

(b) (6), (b) (7)(C)